## DISCUSSION

 $f_{\perp}$ 🗸 t . t . f t 🗸 f ; \_ \_t t  $\sim$  $\mathbf{\nabla}$  $\tilde{f}$ f ,,t t f : ί.,  $\overline{\mathbf{v}}$  $\sim$ ... vv v v , M. S. Pole , t : et al. (2008)1 1 î ^ ţ  $\sim$ t 🗸 1 ູ້ 1 1 ້ f 1 ູ t ί., ft t <u>\_1</u> 1 l t 🗸 l  $\sim$ v (1979), t 🗸  $_{v}t$ 1 1 1 1  $\check{f}$ <sub>v</sub>(1994) 1 f 1 ~~ ۱, 1 1 1 (f, Nothofagus t . 1 1 1 t 11,  $\sim$ ١ı ί. , 1986; & , 1982: , 1986; ( ". ι 1990).  $\mathbf{B}_{\sim}$ t t ~ f f t 1 t V v Ŵ ,2005; **,**2005), . ι , 2006). ٦, ί. ( " .  $\sim$ et al. (2008) ,t t t v1 t ſ f V ι  $\sqrt{1}$ v( v-<u>\_</u>11 t t \_t *、*),  $\downarrow 1 f$ 1 ft 1 1 ί. u 1 1 🗸 f t f ι 11 . 1 , ţ f ft 🗸 1 et al. (2008) ( 1996) & v1 11 . J. f

<u>\_1</u> ĻΊ t 1 . 1  $\mathbf{v}$ ...1  $\overline{\mathbf{v}}$ 1 11 ς. t 🗸 t 1 ~ 1, ιf l t 🗸 ٦, t <u>1</u> 1 1 t t . 1 et al. (2008) <u>\_\_</u>1 ,' v , t 1 V v (1994) f Y 1,1  $\sim$ \_t \_ t \_ ۱, (1994) ٦, ι  $\sim$ 👡 Libocedrus, 1 <u>\_</u>1 \_ 1 1 f ι t ્રા , , , **1** 1 ۰, t 1. t  $\sim$ 

et al. 2008,1 f1184), .... 11 🖌  $f_{1, \dots, n}$ ( 1,1 1 🦵 11 t  $\sim$  $\sim$ ~ / Ļ 1  $\sim$   $\sim$ • !  $\sim$ (1960) f C t t ι ι  $\sim$ ς. f t 🗸 1 11 J B.t f  $f_1$ 1  $\sim$  $\sim$ t. ,, t 'l 1. 1. ...1 ft (1953, 1960) C 1 🗸 Ļ , t

 $\sim$ 

t,

 $\sim$ 



ί.

1. 0 toto 0 or 0 of 1 or or 0 or 0 of 1 or 1 or 0 or 1 or 1

v v **Y**  $\mathbf{t} \qquad \mathbf{v} \mathbf{t} \mathbf{t} \mathbf{t} \mathbf{t} \mathbf{t} \mathbf{v} \mathbf{v} \mathbf{t} \mathbf{v} \mathbf{v} \mathbf{t} \mathbf{v} \mathbf{f} \mathbf{t}$ t 

- (early Miocene), Otaio River, South Canterbury, New (carry model), on the line, sound canderbary, new Zealand.  $\bigcirc$   $\bigcirc$  t A 55, 24 ...  $\bigcirc$  A , ... 1989. t  $\bigcirc$   $\bigcirc$  t t f  $\bigcirc$  ... Journal